```
Uploading C:\Program Files\Stnexp\Queries\10551564-elected-amended.str
```

```
optoading C:\Program Tites\Schep\Quertes\Toosinoon=elected-amended.scf
```

```
chain nodes :
11 13 14 15
ring nodes :
1 2 3 4 5 6 7 8 9 16 17 18 19 20 21 22 23 24 25 26 27 28 29
30 31 32
chain bonds :
7-11 8-16 9-25 11-13 13-14 13-15
ring bonds :
exact/norm bonds :
5-6 5-7 6-9 7-8 7-11 8-9 8-16 9-25 11-13 13-14 13-15 28-32 28-29 29-30
30-31 31-32
exact bonds :
22-23 22-27 23-24 24-25 25-26 26-27
normalized bonds :
1-2 1-6 2-3 3-4 4-5 16-17 16-21 17-18 18-19 19-20 20-21
isolated ring systems :
```

Connectivity:
11:2 E exact RC ring/chain
Match level:
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 11:CLASS
13:CLASS 14:CLASS 15:CLASS 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 21:At

13:CLASS 14:CLASS 15:CLASS 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 25:Atom 26:Atom 27:Atom 28:Atom 29:Atom 30:Atom 31:Atom 32:Atom 33:Atom 26:Atom 26:Atom 27:Atom 28:Atom 29:Atom 30:Atom 31:Atom 32:Atom 33:Atom 33:

L5 STRUCTURE UPLOADED

containing 1 : 16 : 22 : 28 :

=> s 15 sss full REG1stRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress...
Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

FULL SEARCH INITIATED 16:01:25 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 4340 TO ITERATE

100.0% PROCESSED 4340 ITERATIONS

L6 1 SEA SSS FUL L5

=> s 16

1 L6

SEARCH TIME: 00.00.01

1 ANSWERS

- ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN
- AN 2004:857606 CAPLUS Full-text
- DN 141:350034
- ΤI Preparation of indole acetamides as inhibitors of the hepatitis c virus NS5B polymerase
- IN Avolio, Salvatore; Di Filippo, Marcello; Harper, Steven; Narjes, Frank; Pacini, Barbara; Pompei, Marco; Rowley, Michael; Stansfield, Ian
- PA Istituto Di Ricerche Di Biologia Molecolare P Angeletti Spa, Italy
- SO PCT Int. Appl., 126 pp.
- CODEN: PIXXD2
- DT Patent
- LA English

FAN	CN	Τ.	1	
	- 10	7	TOTAL T	•

riiv.									APPLICATION NO.										
I	WO 2004087714								WO 2004-GB1437										
		W:	ΑE,	AG,	AL,	AM,	AT,	AU,	AZ,	BA,	BB,	BG,	BR,	BW,	BY,	ΒZ,	CA,	CH,	
			CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,	
			GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	ΚZ,	LC,	
			LK,	LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	ΜZ,	NA,	NI,	
			NO,	NZ,	OM,	PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	SY,	
			ΤJ,	TM,	TN,	TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VC,	VN,	YU,	ZA,	ZM,	ZW	
		RW:	BW,	GH,	GM,	KΕ,	LS,	MW,	ΜZ,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AM,	ΑZ,	
			BY,	KG,	ΚZ,	MD,	RU,	ΤJ,	TM,	ΑT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,	EE,	
			ES,	FI,	FR,	GB,	GR,	HU,	ΙE,	IT,	LU,	MC,	NL,	PL,	PT,	RO,	SE,	SI,	
			SK,	TR,	BF,	ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	MR,	ΝE,	SN,	
			TD,																
	CA 2520896				A1 20041014 A1 20060111			AU 2004-226144						20040402					
									CA 2004-2520896										
								EP 2004-725422											
		R:	ΑT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	ΙT,	LI,	LU,	NL,	SE,	MC,	PT,	
			ΙE,	SI,	LT,	LV,	FI,	RO,	MK,	CY,	AL,	TR,	ВG,	CZ,	EE,	HU,	PL,	SK,	
	JP	2007	5161	58		T	T 20070621			JP 2006-506078						20040402			
	IN	IN 2005DN04494			A	A 20070824		IN 2005-DN4494					20051004						
						US 2006-551564						20060605							
IΑS	GB	2003	-789	1		A		2003	0404										
	WO	2004	-GB1	437		W		2004	0402										
5	MAI	RPAT	141:	3500	34														
Ι																			

$$\begin{array}{c} x^2 \geqslant ^{X1} \qquad \qquad \qquad \\ x^3 \geqslant ^{X4} \qquad \qquad \\ X^4 \geqslant ^{X4} \qquad \qquad \\ A1 \qquad \qquad \\ Ar1 \qquad \qquad \\ I \\ AO_2C \qquad \qquad \\ Me \end{array}$$

- AB Title compds. represented by the formula I [wherein Arl = (un)substituted heteroaryl; Al = (un)substituted alkyl, alkenyl, non-aromatic (bi)cyclic ring; Rl, R2 = independently H, alkyl, alkenyl, alkynyl, etc.; n = 1-4; Xl-X4 = N or (un)substituted carbon; and pharmaceutically acceptable salts thereof] were prepared as inhibitors of the hepatitis c virus (HCV) NSSB polymerase. For example, II was given in a multi-step synthesis starting from the reaction of Me IH-indole-fo-carboxylate with 3-bromocyclobex-l- ene. I were tested for inhibitory activity against the HCV RNA dependent RNA polymerase (NSSB) in an enzyme inhibition assay with TC50 below 5µM in the enzyme assay and EC50 below 20 pM in the cell based assay. Thus, I and their pharmaceutical compns. are useful as inhibitors of the hepatitis c virus NSSB polymerase for the prevention and treatment of heaatitis C infections.
- RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> log hold SESSION WILL BE HELD FOR 120 MINUTES STN INTERNATIONAL SESSION SUSPENDED AT 16:01:43 ON 18 AUG 2008